

storme flush

evolution®

## Window Specification Guide



The Timber Alternative Equal Sightline Window Specialist

V3 February 2016



## storme

The Storm 2 lipped timber-alternative range has been designed to emulate the beautiful aesthetics of traditional timber windows but without the drawbacks.

No expensive maintenance, no laborious sanding and painting, this highly energy efficient windows comes with an A rating as standard, not as an added extra. And the excellent security features means your home is always safe, warm and secure.

## flush

In response to customer demand, Evolution have developed a flush-fitting casement window. It is ideal for properties that want to replace traditional flush-fitting timber windows but want to take advantage of modern window technology.

The cool, sleek lines of the Evolution Flush window are a minimalist's dream. Whilst this style of window has been traditionally used in older, cottage style properties, the latest trend is that owners and developers of more contemporary properties are turning to flush style windows as they help maintain the simplistic look they are striving for.






# Standard Specification and Optional Upgrades

KEY: ● Included as standard ● Optional specification ● Not available

## Colour Options

												
White Closest RAL 9010	Cream Closest RAL 9001	Natural Closest RAL 8028	Oak Closest RAL 1011	Black Closest RAL 8022	Tudor Closest RAL 9010/8022	Agate Grey Closest RAL 7038	Anthracite Grey Closest RAL 7016	Rosewood Closest RAL 8015	Olive Grey Closest RAL 7032			
Foil	Gloss White	White Wood	Cream Wood	Agate Grey	Black Wood	Natural Wood	Tudor Wood	Evo Oak	Cream/Cream	Anthracite Grey	Rosewood	Olive Grey
Storm 2												
Flush												

Please note - Woodgrain finishes are on a white base profile and white wood internally

Woodgrain Options	Dual Woodgrain	Bespoke Woodgrain	Painted External	Painted Internal	Painted Rebates	Spacer Bar	Black	White
Storm 2	<span style="color: green;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	Storm 2	<span style="color: green;">●</span>	<span style="color: green;">●</span>
Flush	<span style="color: green;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	Flush	<span style="color: green;">●</span>	<span style="color: green;">●</span>

## Outerframe Options

Outerframe	56mm	72mm
Storm2	<span style="color: green;">●</span>	<span style="color: orange;">●</span>
Flush	<span style="color: green;">●</span>	<span style="color: orange;">●</span>



## Glass Options

	A Rating	Double Glazed	Clear/Annealed	Triple Glazed 32mm*	Patterned	Toughened	Laminated	Integral Georgian Grid	Square Lead	Diamond Lead	Bespoke/Decorative	Acoustic
Storm2	A+13 1.3 U value	<span style="color: green;">●</span>	<span style="color: green;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>
Flush	A+11 1.3 U Value	<span style="color: green;">●</span>	<span style="color: green;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>

\*Triple Glazing with Georgian Bar not available.  
Due to weight limitations restrictions on sash sizes will apply.



# Standard Specification and optional Upgrades

KEY: ● Included as standard ● Optional specification ● Not available

## Authentic Georgian Bar Options

Georgian Bar	Putty / Ovolo	36mm	Crucifix	Upside down T Bar	Single Horizontal	Bespoke
Storm2	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>
Flush	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>



## Furniture Options

Handles	Standard Cranked	Ventiss T/Drop	Ventiss 360	Wrought Iron Monkey/Curve	Cast Monkey Tail	Pegstays	Working	Decorative
Storm2	<span style="color: green;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	Storm2	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>
Flush	<span style="color: green;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	Flush	<span style="color: orange;">●</span> *	<span style="color: orange;">●</span>



\*Peg stays are available in wrought iron and Ventiss. However, Flush casement windows can only have wrought iron working stays. Ventiss peg stays for Flush are decorative only.



## Window Locking

	Egress Easy Clean Hinges	Restricted Hinges	Security SAC Bolts	Shoot Bolt	Concealed Restrictor device*
Storm2	<span style="color: green;">●</span>	<span style="color: orange;">●</span>	<span style="color: green;">●</span>	<span style="color: green;">●</span>	<span style="color: orange;">●</span>
Flush	<span style="color: green;">●</span>	<span style="color: orange;">●</span>	<span style="color: green;">●</span>	<span style="color: green;">●</span>	<span style="color: orange;">●</span>

Security claw and compression bolts as standard  
\*Concealed Restrictor Device - subject to minimum sash & friction stay sizes.



# Standard Specification and Optional Upgrades

KEY: ● Included as standard ● Optional specification ● Not available

## Ventilation


Ventilation	Lockable night latch	Discreet trickle vent
Storm2	<span style="color: green;">●</span>	<span style="color: orange;">●</span>
Flush	<span style="color: green;">●</span>	<span style="color: orange;">●</span>



## Cills

Drop Nose Timber Style	NONE	160mm (45mm)	200mm (45mm)	85mm (30mm)	150mm (30mm)	180mm (30mm)
Storm2	<span style="color: green;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>
Flush	<span style="color: green;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>	<span style="color: orange;">●</span>

Please note that 30mm Cills are Drop nosed and 45mm Cills are Timber Styled  
The 30mm cill sits forward of the inside edge of the frame.



45mm Timber Style cill




30mm Drop Nose cill

## Glazing Beads


	28mm Double Glazing	32mm Triple Glazing
Storm2	<span style="color: green;">●</span>	<span style="color: orange;">●</span>
Flush	<span style="color: green;">●</span>	<span style="color: orange;">●</span>

\*White gasket as standard on 28mm double glazed Storm 2 & Flush and 32mm triple glazed Storm 2.


Black gasket as standard on 32mm Triple glazed Flush unit and 28mm cream internal finish Storm 2 and Flush.



Storm 2  
Double Glazing  
28mm



Storm 2  
Triple Glazing  
32mm  
  
Flush  
Double glazing  
28mm



Flush  
Triple Glazing  
32mm

## Transom Drip Bar

	Transom Drip Bar
Storm2	<span style="color: black;">●</span>
Flush	<span style="color: orange;">●</span>



storme

evolution<sup>®</sup>  
Bi-Folding Doors

flush

the english door  
company

evolution<sup>®</sup>

[www.evolutionwindows.com](http://www.evolutionwindows.com)

01767 310 980

[enquiries@evolutionwindows.com](mailto:enquiries@evolutionwindows.com)



Copyright Evolution is a trading division of Masco UK Window Group Ltd.  
We reserve the right to amend or change any manufacturing and/or product specification in line with our product improvement programme.

V3 February 2016